

# **TABLE OF CONTENTS**

## **SECTION 1 – DESIGN STANDARDS**

### **1.1 GENERAL DESIGN REQUIREMENTS**

- 1.1.01 Definitions
- 1.1.02 General System Design
- 1.1.03 Separation of Water Lines & Sewer Lines
- 1.1.04 Sewer in Relation to Streams, Estuaries, Lakes and Reservoirs
- 1.1.05 Road and Railroad Crossings
- 1.1.06 Protection of Water Supplies

### **1.2 WATER AND SEWER PLANS**

- 1.2.01 Drawing Organization
- 1.2.02 Format and Content Requirements
- 1.2.03 Drafting Conventions and Drawing Standards

### **1.3 EASEMENT AND PLAT REQUIREMENTS**

- 1.3.01 Survey Requirements
- 1.3.02 Easement Widths
- 1.3.03 Temporary Construction Easements
- 1.3.04 Offsite Easements
- 1.3.05 Easement Extensions
- 1.3.06 Other Installations Within Easements
- 1.3.07 Plat Preparation Requirements
- 1.3.08 Acceptable Sheet Sizes for Utility Easement Plats
- 1.3.09 Other Plat Requirements

### **1.4 GRAVITY SANITARY SEWERS**

- 1.4.01 General Requirements
- 1.4.02 Technical Design
- 1.4.03 Drawings

### **1.5 WASTEWATER PUMP STATIONS AND FORCE MAINS**

- 1.5.01 General Requirements
- 1.5.02 Technical Design
- 1.5.03 Drawings
- 1.5.04 Miscellaneous Components

### **1.6 WATER DISTRIBUTION FACILITIES**

- 1.6.01 General Requirements
- 1.6.02 Technical Design
- 1.6.03 Drawings

## **SECTION 2 – STANDARD FORMS AND NOTES**

F-01	Engineering Report
F-02	Not Used
F-03	Not Used
F-04	Sanitary Sewer Design Table
F-05	Not Used
F-06	Review Checklist for Water and Sewer Plans
F-07	Domestic Meter Sizing Form
F-08	Fire Flow Estimate Form
F-09	Water and Sewer Notes
F-10 – F-13	Typical Backflow Preventer Installations
F-14	Erosion Control Notes
F-15	Notification of Intent to Discharge to Sanitary Sewer

## **SECTION 3 – STANDARD DETAILS**

BLK-01	Thrust Blocking Detail for Horizontal Bends
BLK-02	Thrust Blocking Detail for Tees and Plugs
BLK-03	Thrust Blocking Detail for Lower Vertical Bends
BLK-04	Thrust Blocking Detail for Upper Vertical Bends
CAS-01	Specifications & Requirements for Casing Pipes
CAS-02	Casing Detail for Gravity Sewer Lines
CAS-03	Casing Detail for Water Lines & Sewer Force Mains
CAS-04	Pipe Encasement Detail
DES-01	Standard Symbols for Utility Drawings
FIR-01a	Typical Fire Hydrant
FIR-01b	Required Clear Area Around Fire Hydrant
FIR-02	Fire Suppression Backflow Assembly in Vault
FIR-03	Standard Yard Fire Department Connection (FDC)
MAN-01a	Sanitary Sewer Manhole Sizing and Minimum Angles Between Influent Pipes
MAN-01b	Sanitary Sewer Manhole Minimum Angle Calculations
MAN-02	Precast Concrete Manhole for Sewer Lines up to 15”
MAN-03	Standard Inside Drop Manhole
MAN-04	Outside Drop Connection Manhole Detail
MAN-05	72”, 84” and 96” I.D. Manhole Detail – Type 1
MAN-06	72”, 84” and 96” I.D. Manhole Detail – Type 2
MAN-07	72”, 84” and 96” I.D. Manhole Detail – Type 3
MAN-08	Acid-Resistant Manhole Lining for New Manholes
MAN-09	Standard Manhole Invert Details
MAN-10	Standard Manhole Frame and Cover
MAN-11	Not Used

MAN-12	Watertight Manhole Frame & Cover
MAN-13	Standard Manhole Step
MAN-14	Detail for Abandonment of Manhole
MAN-15	Doghouse Manhole
MAN-16	Not Used
MAN-17	New Sewer Line Connection to Existing Manhole
MET-01	Standard Meter Box Installation for 5/8" and 1" Meters
MET-02	Water Meter Setting for 1-1/2" and 2" Meters
MET-03	Standard Water Meter Box for Meters 2" and Smaller
MET-04	Not Used
MET-05	5/8" x 3/4" and 1" Water Service Connection and Meter Box
MET-06	Standard Water Service Connection for 1-1/2" or 2" Service Lines
MET-07	Dual 2" Meter Setting
MET-08	Typical Water Meter Locations in Residential Subdivisions
MET-09	Not Used
MET-10	Meter Setting and Vault for 3" to 10" Ultrasonic Meter
PS-01	Standard Pump Station – Detail Available Upon Request
PS-02	Emergency Bypass Pump Connection
PS-03	Support for Ultrasonic Level Sensor
PS-04	Pipe Support Type 1
PS-05	Pipe Support Type 2
PS-06	Pipe Support Type 3
PS-07	Link Seal
PS-08	Steel Bollard
PS-09	Cable Holder
PS-10	Force Main Connection to Existing Manhole
SEW-01a	Standard Sanitary Sewer Service Connection and Cleanout
SEW-01b	Sanitary Sewer Cleanout Stack for Residential Subdivisions
SEW-02a	Dual Sanitary Sewer Service Connection for Condominiums and Townhouses
SEW-02b	Dual Sanitary Sewer Service Connection for Townhouses on Individual Lots
SEW-03	Combination Air/Vacuum Valve with Vent for Sewage Force Mains
SEW-04	Plug Valve
SEW-05a	Pressure Sewer House Connection to Gravity Sewer Line
SEW-05b	Pressure Sewer House Connection to Gravity Sewer Manhole
TR-01	Pressure Pipe Trench
TR-02	Gravity Sewer Trench
TST-01	Tracer Wire Access Box for Water Lines and Force Mains
TST-02	Bac-T Sampling Station
WAT-01a	Flushing Hydrant at Dead-End
WAT-01b	Flushing Hydrants Along Water Main
WAT-02	Typical Flushing Hydrant Location on Cul-De-Sac

WAT-03	Typical Flushing Hydrant Location Along a Street or Roadway
WAT-04	Typical Underground Gate Valve
WAT-05	Tapping Sleeve and Valve Assembly
WAT-06	Combination Air/Vacuum Valve Assembly for 8"-24" Water Lines
WAT-07	1" to 2" Residential/Commercial Outdoor RPZ Backflow Preventer Assembly
WAT-08	2-1/2" to 10" Commercial Outdoor RPZ Backflow Preventer Assembly
WAT-09	1" to 2" Residential/Commercial Indoor RPZ Backflow Preventer Assembly
WAT-10	2-1/2" to 10" Commercial Indoor RPZ Backflow Preventer Assembly
WAT-11	Sizing of Tees & Thrust Blocking at Four-Way Waterline Intersection
WAT-12	Not Used
WAT-13	Lowering Water Main or New Installation

## **SECTION 4 – CONSTRUCTION STANDARDS**

### **4.1 GENERAL CONSTRUCTION STANDARDS**

- 4.1.01 Work Within VDOT Roads
- 4.1.02 Coordination
- 4.1.03 Work Outside Regular Hours
- 4.1.04 Use of Water
- 4.1.05 Conflicts
- 4.1.06 Safety
- 4.1.07 Existing Structures
- 4.1.08 Routine Inspections
- 4.1.09 Final Inspection
- 4.1.10 Notification to Property Owners
- 4.1.11 Connections to Existing Water and Sewer Systems
- 4.1.12 Field Engineering
- 4.1.13 Project Meetings
- 4.1.14 Construction Schedule
- 4.1.15 Submittals/Shop Drawings
- 4.1.16 Deviation from Plans
- 4.1.17 Temporary Facilities and Controls
- 4.1.18 Materials and Equipment
- 4.1.19 Warranties and Guarantees

### **4.2 SITE CLEARING**

- 4.2.01 General
- 4.2.02 Clearing
- 4.2.03 Existing Trees and Shrubs
- 4.2.04 Grubbing
- 4.2.05 Disposal of Waste Materials

### **4.3 TRENCHING AND BACKFILLING**

- 4.3.01 General
- 4.3.02 Definitions
- 4.3.03 Testing and Inspection
- 4.3.04 Explosives
- 4.3.05 Existing Utilities
- 4.3.06 Products
- 4.3.07 Excavation
- 4.3.08 Trenching and Bedding
- 4.3.09 Sheeting and Shoring
- 4.3.10 Compaction
- 4.3.11 Backfill
- 4.3.12 Grading
- 4.3.13 Utilities to be Abandoned or Removed
- 4.3.14 Erosion Control
- 4.3.15 Clean Up

### **4.4 HORIZONTAL DIRECTIONAL DRILLING**

- 4.4.01 Description
- 4.4.02 Quality Assurance
- 4.4.03 Shop Drawings and Submittals
- 4.4.04 Equipment
- 4.4.05 Drilling System
- 4.4.06 Pipe
- 4.4.07 Tracer Wire
- 4.4.08 Drilling Fluids
- 4.4.09 Personnel Requirements
- 4.4.10 Work Plan
- 4.4.11 Installation
- 4.4.12 Inspection
- 4.4.13 Field Testing

### **4.5 WATER DISTRIBUTION SYSTEM INSTALLATION**

- 4.5.01 General Requirements
- 4.5.02 Pipe Laying
- 4.5.03 Mechanical Joint Pipe
- 4.5.04 Push-On Joint Pipe
- 4.5.05 Setting Valves and Valve Boxes
- 4.5.06 Installation of Tapping Sleeves and Tapping Valves
- 4.5.07 Warning Tape
- 4.5.08 Tracer Wire and Access Boxes
- 4.5.09 Acceptance Tests

## **4.6 SANITARY SEWER SYSTEM INSTALLATION**

- 4.6.01 General Requirements
- 4.6.02 Gravity Sewer Pipe
- 4.6.03 Sewer Force Main
- 4.6.04 Joining Pipe
- 4.6.05 Thrust Restraint
- 4.6.06 Service Connections
- 4.6.07 Manhole Connections
- 4.6.08 Testing Gravity Sewer Lines and Manholes
- 4.6.09 Manhole Negative Air Pressure (Vacuum) Test
- 4.6.10 Force Main Testing
- 4.6.11 CCTV Inspection

## **4.7 RECORD DRAWINGS**

- 4.7.01 General
- 4.7.02 Preparation Requirements for Record Drawings
- 4.7.03 Submission of Record Drawings

# **SECTION 5 – MATERIAL STANDARDS**

## **5.1 WATER DISTRIBUTION SYSTEM**

- 5.1.01 General
- 5.1.02 Underground Pipe
- 5.1.03 Underground Fittings
- 5.1.04 Above Ground or Exposed Piping
- 5.1.05 Pipe Insulation and Heat Tracing
- 5.1.06 Temporary Above Ground Pipe and Fittings
- 5.1.07 Gate Valves
- 5.1.08 Butterfly Valves
- 5.1.09 Ball Valves – Above Ground
- 5.1.10 Check Valves
- 5.1.11 Corporation Stops and Tapping Saddles for Underground Service
- 5.1.12 Above Ground or Exposed Taps
- 5.1.13 Valve Boxes
- 5.1.14 Combination Air Valves
- 5.1.15 Reduced Pressure Zone (RPZ) Backflow Preventer
- 5.1.16 Reduced Pressure Detector Assembly (RPDA) Backflow Preventer
- 5.1.17 Double Check Detector Assembly (DCDA) Backflow Preventer
- 5.1.18 Sample Taps
- 5.1.19 Sampling Stations
- 5.1.20 Wall Sleeves
- 5.1.21 Flushing Hydrants

- 5.1.22 Water Service Accessories
- 5.1.23 Hydraulic Operated Control Valves
- 5.1.24 Tapping Sleeves
- 5.1.25 Couplings
- 5.1.26 Fire Hydrants
- 5.1.27 Tracer Wire
- 5.1.28 Connectors for Tracer Wire
- 5.1.29 Tracer Wire Access Boxes
- 5.1.30 Marking Tape
- 5.1.31 Steel Casing Pipe
- 5.1.32 Pressure Gauges
- 5.1.33 Pipe Supports
- 5.1.34 Service Saddles

## **5.2 SANITARY SEWER SYSTEM**

- 5.2.01 General
- 5.2.02 Underground Pressure Pipe
- 5.2.03 Gravity Pipe
- 5.2.04 Underground Pressure Pipe Fittings
- 5.2.05 Above Ground or Exposed Pressure Pipe
- 5.2.06 Plug Valves
- 5.2.07 Check Valves
- 5.2.08 Tracer Wire
- 5.2.09 Connectors for Tracer Wire
- 5.2.10 Tracer Wire Access Boxes
- 5.2.11 Marking Tape
- 5.2.12 Steel Casing Pipe
- 5.2.13 Manholes
- 5.2.14 Pressure Gauges
- 5.2.15 Wafer Pressure Isolators Ring (Sensor Ring)
- 5.2.16 Pipe Supports
- 5.2.17 Combination Air Valves

## **5.3 APPROVED MATERIALS AND MANUFACTURERS – WATER**

- 5.3.01 General
- 5.3.02 Underground Pipe
- 5.3.03 Underground Fittings
- 5.3.04 Above Ground or Exposed Piping
- 5.3.05 Pipe Insulation and Heat Tracing
- 5.3.06 Temporary Above Ground Pipe and Fittings
- 5.3.07 Gate Valves
- 5.3.08 Butterfly Valves
- 5.3.09 Ball Valves – Above Ground

- 5.3.10 Check Valves
- 5.3.11 Corporation Stops and Tapping Saddles for Underground Service
- 5.3.12 Above Ground or Exposed Taps
- 5.3.13 Valve Boxes
- 5.3.14 Combination Air Valves
- 5.3.15 Reduced Pressure Zone (RPZ) Backflow Preventer
- 5.3.16 Reduced Pressure Detector Assembly (RPDA) Backflow Preventer
- 5.3.17 Double Check Detector Assembly (DCDA) Backflow Preventer
- 5.3.18 Sample Taps
- 5.3.19 Sampling Stations
- 5.3.20 Wall Sleeves
- 5.3.21 Flushing Hydrants
- 5.3.22 Water Service Accessories
- 5.3.23 Hydraulic Operated Control Valves
- 5.3.24 Tapping Sleeves
- 5.3.25 Couplings
- 5.3.26 Fire Hydrants
- 5.3.27 Tracer Wire
- 5.3.28 Connectors for Tracer Wire
- 5.3.29 Tracer Wire Access Boxes
- 5.3.30 Marking Tape
- 5.3.31 Steel Casing Pipe
- 5.3.32 Pressure Gauges
- 5.3.33 Pipe Supports
- 5.3.34 Service Saddles

#### **5.4 APPROVED MATERIALS AND MANUFACTURERS – SEWER**

- 5.4.01 General
- 5.4.02 Underground Pressure Pipe
- 5.4.03 Gravity Pipe
- 5.4.04 Underground Pressure Pipe Fittings
- 5.4.05 Above Ground or Exposed Pressure Pipe
- 5.4.06 Plug Valves
- 5.4.07 Check Valves
- 5.4.08 Tracer Wire
- 5.4.09 Connectors for Tracer Wires
- 5.4.10 Tracer Wire Access Boxes
- 5.4.11 Marking Tape
- 5.4.12 Steel Casing Pipe
- 5.4.13 Manholes
- 5.4.14 Pressure Gauges
- 5.4.15 Wafer Pressure Isolators Ring (Sensor Ring)
- 5.4.16 Pipe Supports



5.4.17 Combination Air Valves

## **SECTION 6 – PRIVATE DEVELOPMENT PROJECTS**

### **6.1 REQUIREMENTS FOR PRIVATE DEVELOPMENT**

- 6.1.01 Purpose and Applicability
- 6.1.02 General Requirements for Public Water and Sewer Projects
- 6.1.03 Laws and Regulations
- 6.1.04 Plan Review Process
- 6.1.05 Engineering Report and System Layout Map
- 6.1.06 Federal, State, and Local Approvals
- 6.1.07 Easements
- 6.1.08 Permits
- 6.1.09 Project Meetings
- 6.1.10 Shop Drawings/Submittals
- 6.1.11 Quality Control
- 6.1.12 Discrepancies
- 6.1.13 Responsibilities